NDG32

Vehicle HD cameras

NDG32-GCAT200H

NDG32-SCAT200WB

NDG32- JCAT500MB

- IP65 full metal MINI Camera
- 2MP-5MP available
- 2.8mm Fixed Lens(3.6mm lens optional)
- Microphone optional
- Aviation cable

Specification			
Model No.	NDG32-GCAT200H	NDG32-SCAT200WB	NDG32-JCAT500MB
Video Output Mode	AHD/CVI/TVI/CVBS		
Camera			
Image Sensor	1/2.9"COMS Sensor	1/2.8"SONY COMS Sensor	1/2.5" COMS Sensor
Image Resolution	2M:1920*1080	2M:1920*1080	5M:2560*1944
TV System	PAL/NTSC		
Electronic Shutter	Auto		
Minimum Illumination	0.01Lux(F1.2)	0.0001Lux(F1.2)	0.01Lux(F1.2)
	B&W：0LUX		
Lens			
Focus Length	3.6mm/2.8mm optional		
Focus Control	Fixed		
Lens Type	Fixed		
Camera Features			
OSD Menu	YES		
WDR	DWDR	WDR	DWDR
UTC	YES		
Noise Reduction	3-DNR		
Coaxial Audio	/		
White Balance	Auto/Manual		
Gain Control	Auto		
General Specification			
Housing	Metal, IP65		
Bracket	/		
Operation Temperature	(-10℃ ~+60℃) RH95% MAX		
Storage Temperature	(-20℃ ~+60℃) RH95% Max		
Power Source	DC12V±10%, 120mA		
Dimension	¢44×36		

Weight	100g

Dimensions(mm)